



Spare Parts Catalog

9 S 75

Material number: 1308.050.159



Pos.	Information	Amendment number
A10	CUSTOMER:OTOSAN	
A10	COUNTRY:TR	
A14	CUST.SPEC.NO: CODE:	
A90	RELEASE:FIRST INSTALLATION CHECK NECESSARY	
F06	INSTAL.POSITION:VERTICAL *FLG.MOUNTED *	
F10	RATIO: 13,16- 1,00 *DG	
F10	G13,16* 8,91* 6,50* 4,67* 3,50* 2,55*	
F10	G 1,86* 1,33* 1,00* R11,74	
F26	PLANET GEAR SET:I=3,500* 5 GEAR	
F34	CONTROL:REMOTE CONTROL*HORIZONTAL RH *H-H	
F34	GP:PLASTIC PIPING	
F38	SEPARAT.CLUTCH: SYNCHRONIZED	
F40	INPUT SHAFT : L=305,0*SAE 10C 1 3/4INCH	
F40	JOURNAL:D=25 F7*SHAFT:D=44,00*BUSH:WITHOUT	
F46	REL.BRG.CARRIER:L= 190,0 D= 57,000 E8	
F46	SEALING CAP:WITHOUT	
F50	OUTPUT :STANDARD BEARINGS	
F52	OUTP.FLANGE RA:OD=180 *NH= 4 *D=15,0	
F52	L= 84,0	
F62	GP HOUSING :HEXAGON SCREW	
F64	CONN.OF GEARSHIFT:	
F66	CONTROL SHAFT DIMENSION:A=190,0*	
F68	MEAS.POINT: SHIFTLIVER-LOCATION *	
F96	SET OF SPRINGS:LAYOUT Q11 *INSERTION:W022	
F98	PAWL STOP: SPRING FORCE RG= 88N	
G06	GEAR DETENT:SPRING FORCE NG+GG = 275N	
G16	SELECTION PATTERN:WI	
G30	SWITCH: RG*CLOSING *SHIFT RAIL	
G30	PROTECTING CAP:WITH *BAYONET+PLUG DIRECT	
G32	SWITCH: NG*OPENING *	



Pos.	Information	Amendment number
G32	PROTECTING CAP:WITH *BAYONET+PLUG DIRECT	
G32		
G34	POSITION DELETED	7453C
G36	SWITCH: GP*WITHOUT *	
G36	PROTECTING CAP:WITHOUT*	
G38	POSITION DELETED	7453C
G50	AUXILIARY UNITS:WITHOUT WSK *	
G60	AUXILIARY UNITS/ACCESSORIES	
G66	G.BOX VENTING:BREATHER	
G74	RETARDER:WITHOUT	
H50	ELECTRONIC:	
H64	TRANSMITTER INPUT:WITHOUT	
H64	PROTECTING CAP:WITHOUT	
M00	DRAWING:	
M02	INSTALLATION: 1308 600 008	
M14	SECTION: 1308 050 003	
M16	SECTION: 1308 172 020	
M18	SECTION: 1308 149 020	
M50	ASSEMBLY INSTRUCTIONS:	
M58	ASSEMBLY:OIL FILL+OVERFLO *HOUSING LEFT	
M90	OIL CAPACITY: AP. 9,50L	
M92	OIL GRADE ACC.TO ZF:TE-ML02	
M94	MASS : APPRX. 125,0 KG	
M96	PAINT :NO PAINT *	
M98	PRESERVATION : KA1 T/KI2/ *ZFN 916	
S02	VEHICLE DATA 1:	
S04	MODEL:TRUCK *CARGO2524S 6X 2	
S06	MAX.G.V.M. 26,0T*MAX. G.C.M. 40,0T	
S08	R DYN: 526*	
S10	RA: I= 4,56	



Pos.	Information	Amendment number
S14	FORD /NHDD *KW176/2500*N.M 840/1200	
S18	CLUTCH: VALEO *395	

Assembly group overview

Page 1 from 1

Material number: 1308.050.159

9 S 75 /




Graphics	Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	ID
064.01.03	116	1308.101.066	HOUSING	1	9708C	01.05.2003		GEH.1*DG*ST*UEBERLAUF LI	3
064.01.03	120	1308.101.828	GEARBOX HOUSING	1	9708C	01.05.2003		GEH.1*ST*ANBAUTEILE	3
064.01.20	110	1308.101.107	GEARBOX HOUSING	1				ST	3
064.02.03	150	1308.102.806	INPUT SHAFT	1					3
064.02.03	910	1308.102.043	INPUT SHAFT	1				13,16*L=305*SAE10C 1 3/4	3
064.02.40	140	1308.102.434	CONN.PLATE	1				L=190*D=57E8*AUSF.A	3
064.03.01	920	1308.103.004	LAYSHAFT	1				13,16-1,00	3
064.03.80	180	1308.103.804	LAYSHAFT	1					3
064.04.01	190	1308.104.801	MAIN SHAFT	1					3
064.04.01	930	1308.104.010	MAIN SHAFT	1				13,16-1,00	3
064.05.02	220	1308.105.008	RETURN	1					3
064.06.10	230	1308.106.108	GEARSHIFT SYST.	1				W I*H-H*DG	3
064.06.10	950	1304.106.453	CONN.PARTS	1				KABELVERBIND*RG	3
064.06.10	960	1304.106.452	CONN.PARTS	1				KABELVERBIND*NG	3
064.06.40	236	1308.106.452	CONN.PARTS	1	7453C	01.02.2003		RG-SCHL*NG-OEFF*BAJONETT	3
064.07.07	282	1308.107.818	G.SHIFT HOUSING	1				O.ABSTUETZPKT	3
064.07.07	910	1308.107.035	G.SHIFT HOUSING	1				W I*H-H*WR*ST	3
064.07.07	914	1308.107.464	G.SHIFT SHAFT	1				W I*H-H*WR *L=190	3
064.08.02	926	1308.170.009	SHIFT TURRET	1				L=190	3
064.08.02	934	1308.170.803	COVER	1				L=190	3
064.12.09	922	1308.149.034	SET OF SPRINGS	1				H-H *Q11 *W022	3
064.43.03	010	1308.131.014	GP HOUSING	1				ST*GD-AL	3
064.43.03	030	1308.131.400	CLOSING COMPON.	1				NA-OEFFNUNG	3
064.43.03	512	1308.131.801	GP HOUSING	1					3
064.44.01	040	1308.132.003	PLANETARY DRIVE	1					3
064.44.01	060	1308.132.801	PLANETARY DRIVE	1					3
064.44.40	050	1308.132.418	PLANETARY DRIVE	1				AD=180*LZ=4*D=15,0	3
064.45.01	070	1308.133.002	SYNCHRONIZER	1					3
064.45.01	080	1308.133.400	SYNCHRONIZER	1				SYN.RING SINTER	3
064.46.03	090	1308.134.008	GP SHIFT SYSTEM	1				ANSCHLAG GEDAEMPFT	3
064.46.03	554	1308.134.403	CONN.PARTS	1				GP-ANZ*OHNE	3
064.47.01	190	1308.135.007	SPEEDO.COVER	1				E/Z 6*O.GEBER	3
064.47.01	194	1308.135.811	SPEEDO.COVER	1				E/*OHNE ZAEHLSCHEIBE	3
064.57.02	390	1308.145.002	RANGE SELECTION	1				9S75*WA*SE*H-H*W I	3


VKF Incidence factor

ID Identification (output code)

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005





Parts list

Page 1 from 1

Material number: 1308.050.159 9 S 75 /
 Plant: 064.01.03
 Material-assembly-group-no: 1308.101.066



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.201.105	HOUSING	1				KPL.			4	10,072	
030	0750.112.185	PROTECTION CAP	1				WTB 40X7			4	0,012	
080	0750.115.238	BALL SLEEVE	1				WTB 18,0X24,0X24,0			4	0,020	
090	---	SCREW PLUG	1				M24X1,5 * 50N.M*O. DICHTRG.			3	0,059	
	0736.303.005	SCREW PLUG	1				M24X1,5			4	0,000	
094	---	SCREW PLUG	1				M24X1,5 * 50N.M*O. DICHTRG.			3	0,041	
	0736.301.022	SCREW PLUG	1				M24X1,5			4	0,032	
100	---	TYPE PLATE	1				WTB			3	0,000	
	0730.365.195	TYPE PLATE	1				ZF-BOUTHEON MADE IN FRANCE			4	0,000	
	0730.365.147	TYPE PLATE	1				EINHEITSSCHILD			4	0,000	
110	0731.101.047	BLIND RIVET	4							4	0,001	
250	1308.201.110	HOUSING	1	7453C	01.02.2003	01.02.2003	KPL.			4	9,420	
260	0501.314.450	GASKET	1							4	0,005	
270	0731.201.620	CYLINDRICAL PIN	2							4	0,057	
280	---	HEXAGON SCREW	10				M8X70			3	0,000	
	0736.010.188	HEXAGON SCREW	10				M8X70			4	0,030	
320	---	HEXAGON SCREW	6				M8X45			3	0,000	
	0736.010.185	HEXAGON SCREW	6				M8X45			4	0,022	
400	1308.201.025	OIL TUBE	1				KPL.			4	0,019	
404	1308.301.071	PIPE	1							4	0,004	
408	0634.314.253	O-RING	1				ZFN 744 10 X 3			4	0,000	
410	---	HEXAGON SCREW	2				M6X12 ISO4017/8.8 A3C			3	0,000	
	0636.015.294	HEXAGON SCREW	2				ISO 4017 M 6 X 12			4	0,000	
430	0750.115.238	BALL SLEEVE	1				WTB 18,0X24,0X24,0			4	0,020	
450	---	SCREW PLUG	1				M24X1,5 * 50N.M*O. DICHTRG.			3	0,057	
	0736.305.016	SCREW PLUG	1				M24X1,5			4	0,000	
470	1308.201.032	OIL COLL.PLATE	1				KPL. IN 1308 201 022(0)			4	0,167	

VKF Incidence factor


OTK Optional technical kit


ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
 For information only, not subject to the amendment service.

14.04.2005







Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.202.064	INPUT SHAFT	1				KPL.			3	0,000	
/120	0501.311.146	OIL DAM	1							4	0,012	
/130	1308.302.107	OIL COLL.RING	1							4	0,004	
/140	0631.329.064	SLOT.PIN	1				ISO 8752 6 X 20			4	0,000	
020	1308.304.078	CLUTCH BODY	1				ENTHALT.IN 1308 304 080(1)			4	0,300	
030	0750.117.312	TA.ROLL.BEARING	1				WTB 50,8X104,7X30,1			4	1,220	
060	1308.302.029	OIL DAM	1				ENTHALT.IN 1308 302 028(2)			4	0,026	
070	---	WASHER	1				WTB 0730 005 479(2)			3	0,000	
	0730.005.481	WASHER	1				A=1,25			4	0,018	
	0730.005.480	WASHER	1				A=1,20			4	0,017	
	0730.006.545	WASHER	1				A=1,15			4	0,017	
	0730.006.543	WASHER	1				A=1,10			4	0,016	
	0730.006.541	WASHER	1				A=1,05			4	0,015	
	0730.006.539	WASHER	1				A=1,00			4	0,015	
	0730.006.537	WASHER	1				A=0,95			4	0,014	
	0730.006.535	WASHER	1				A=0,90			4	0,000	
	0730.007.358	WASHER	1				A=0,85			4	0,012	
	0730.007.359	WASHER	1				A=0,80			4	0,011	
	0730.007.360	WASHER	1				A=0,75			4	0,011	
	0730.007.361	WASHER	1				A=0,70			4	0,010	
	0730.007.362	WASHER	1				A=0,65			4	0,009	
	0730.005.482	WASHER	1				A=1,30			4	0,019	
	0730.005.498	WASHER	1				A=2,10			4	0,031	
	0730.005.497	WASHER	1				A=2,05			4	0,029	
	0730.005.496	WASHER	1				A=2,00			4	0,000	
	0730.005.495	WASHER	1				A=1,95			4	0,028	
	0730.005.494	WASHER	1				A=1,90			4	0,027	
	0730.005.493	WASHER	1				A=1,85			4	0,027	
	0730.005.492	WASHER	1				A=1,80			4	0,025	
	0730.005.491	WASHER	1				A=1,75			4	0,025	
	0730.005.490	WASHER	1				A=1,70			4	0,024	
	0730.005.489	WASHER	1				A=1,65			4	0,024	
	0730.005.488	WASHER	1				A=1,60			4	0,000	
	0730.005.487	WASHER	1				A=1,55			4	0,022	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

Parts list
Page 2 from 2

Material number: 1308.050.159 9 S 75 /
Plant: 064.02.03
Material-assembly-group-no: 1308.102.806



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
	0730.005.483	WASHER	1				A=1,35			4	0,018	
	0730.005.486	WASHER	1				A=1,50			4	0,020	
	0730.005.484	WASHER	1				A=1,40			4	0,019	
	0730.005.485	WASHER	1				A=1,45			4	0,021	
090	1306.302.026	GASKET	1							4	0,002	
100	---	HEXAGON SCREW	8				M8X25 ISO4017/8.8 A3C			3	0,000	
	0636.015.257	HEXAGON SCREW	8				ISO 4017 M 8 X 25			4	0,000	
110	1308.302.084	CONN.PLATE	1				ENTHALT.IN 1308 302 040(0)			4	0,000	
120	0750.111.149	SHAFT SEAL	1				WTB 48X65X10			4	0,025	

VKF Incidence factor


OTK Optional technical kit


ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005







Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.303.022	LAYSHAFT	1				Z14			4	6,900	
060	0750.117.198	TA.ROLL.BEARING	1				WTB 39,6X76,2X23,8			4	0,500	
100	1308.303.021	DOUBLE GEAR	1				1+2G			4	3,200	
300	1308.303.027	HELICAL GEAR	1				3G/Z32			4	2,640	
350	1308.303.023	HELICAL GEAR	1				KON/Z37			4	3,500	
360	---	RETAINING RING	1				WTB 0730 501 488(2)			3	0,000	
	0630.501.380	RETAINING RING	1				DIN 471 54X1,7			4	0,000	
	0630.501.219	RETAINING RING	1				DIN 471 54X1,8			4	0,000	
	0630.501.220	RETAINING RING	1				DIN 471 54X1,9			4	0,000	
	0630.501.037	RETAINING RING	1				FA. ORBIS 54X2 A54			4	0,000	
	0730.501.489	RETAINING RING	1				A=2,10			4	0,014	
	0730.501.490	RETAINING RING	1				A=2,20			4	0,014	
	0730.501.491	RETAINING RING	1				A=2,30			4	0,016	
	0730.501.492	RETAINING RING	1				A=2,40			4	0,016	
	0730.501.493	RETAINING RING	1				A=2,50			4	0,014	
400	0735.370.742	TA.ROLL.BEARING	1				39,6X79,9X29,3 FA. TIMKEN			4	0,646	
510	---	WASHER	1				WTB 0730 104 301(2)			3	0,000	
	0730.107.799	WASHER	1				A=1,90			4	0,000	
	0730.107.798	WASHER	1				A=1,85			4	0,000	
	0730.106.656	WASHER	1				A=1,80			4	0,000	
	0730.104.304	WASHER	1				A=1,75			4	0,000	
	0730.104.305	WASHER	1				A=1,70			4	0,017	
	0730.104.306	WASHER	1				A=1,65			4	0,016	
	0730.104.307	WASHER	1				A=1,60			4	0,016	
	0730.104.308	WASHER	1				A=1,55			4	0,000	
	0730.104.309	WASHER	1				A=1,50			4	0,000	
	0730.105.290	WASHER	1				A=1,45			4	0,014	
	0730.105.291	WASHER	1				A=1,40			4	0,014	
	0730.105.292	WASHER	1				A=1,35			4	0,013	
	0730.106.655	WASHER	1				A=1,30			4	0,013	
	0730.107.800	WASHER	1				A=1,95			4	0,000	
	0730.108.414	WASHER	1				A=2,40			4	0,000	
	0730.107.862	WASHER	1				A=2,35			4	0,023	
	0730.107.861	WASHER	1				A=2,30			4	0,023	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant




Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
	0730.107.860	WASHER	1				A=2,25			4	0,023	
	0730.104.302	WASHER	1				A=2,20			4	0,022	
	0730.107.803	WASHER	1				A=2,15			4	0,000	
	0730.107.802	WASHER	1				A=2,10			4	0,000	
	0730.107.801	WASHER	1				A=2,05			4	0,000	
	0730.104.303	WASHER	1				A=2,00			4	0,000	
530	1308.301.175	COVER	1							4	0,231	
540	0634.303.121	O-RING	1				ZFN 744 75 X 2,5			4	0,000	
550	---	HEXAGON SCREW	4				M8X28Z0 ISO4017/8.8 A3C			3	0,000	
	0636.015.578	HEXAGON SCREW	4				ISO 4017 M8X 28 Z0- DIN69			4	0,000	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant





Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.304.053	MAIN SHAFT	1							4	7,100	
100	0750.115.427	NEEDLE CAGE	1	57741	02.03.1992	02.03.1992	WTB 67,0X75,0X37,0			4	0,175	
110	1308.304.086	HELICAL GEAR	1	64840	01.09.1994	01.09.1994	Z37			4	3	
140	1308.304.051	SLEEVE CARRIER	1							4	0,540	
150	1308.304.087	SLIDING SLEEVE	1	64840	01.09.1994	01.09.1994	RG-KLAUE			4	0,800	
160	---	RETAINING RING	1				WTB 0730 501 404(2)			3	0,000	
	0730.501.418	RETAINING RING	1				A=2,80			4	0,017	
	0730.501.417	RETAINING RING	1				A=2,75			4	0,017	
	0730.501.413	RETAINING RING	1				A=2,70			4	0,016	
	0730.501.412	RETAINING RING	1				A=2,65			4	0,016	
	0730.501.411	RETAINING RING	1				A=2,60			4	0,016	
	0730.501.410	RETAINING RING	1				A=2,55			4	0,016	
	0730.501.409	RETAINING RING	1				A=2,50			4	0,017	
	0730.501.408	RETAINING RING	1				A=2,45			4	0,015	
200	0750.115.533	NEEDLE CAGE	1	5425A	01.01.1999	01.01.1999	WTB 60,0X68,0X31,3			4	0,134	
210	1308.304.052	HELICAL GEAR	1				RG/Z33			4	2,900	
240	0730.106.496	WASHER	1				A=4,00			4	0,092	
260	1246.203.008	TA.ROLL.BEARING	1				KPL.ABTR*S6-66/85=ANTR			4	1	
280	1308.304.059	SUN GEAR	1				Z30			4	1	
290	---	RETAINING RING	1				WTB 0730 501 288(3)			3	0,000	
	0730.501.499	RETAINING RING	1				A=3,50			4	0,015	
	0730.501.498	RETAINING RING	1				A=3,40			4	0,015	
	0730.501.497	RETAINING RING	1				A=3,30			4	0,015	
	0730.501.496	RETAINING RING	1				A=3,20			4	0,015	
	0730.501.495	RETAINING RING	1				A=3,10			4	0,015	
	0630.531.058	RETAINING RING	1				DIN 471 45X3			4	0,000	
	0730.501.297	RETAINING RING	1				A=2,90			4	0,012	
	0730.501.296	RETAINING RING	1				A=2,85			4	0,012	
	0730.501.291	RETAINING RING	1				A=2,60			4	0,011	
	0730.501.290	RETAINING RING	1				A=2,55			4	0,010	
	0730.501.289	RETAINING RING	1				A=2,50			4	0,010	
	0630.531.293	RETAINING RING	1				DIN 471 45X2,4			4	0,000	
	0730.501.295	RETAINING RING	1				A=2,80			4	0,012	
	0730.501.292	RETAINING RING	1				A=2,65			4	0,011	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
	0730.501.294	RETAINING RING	1				A=2,75			4	0,012	
	0730.501.293	RETAINING RING	1				A=2,70			4	0,011	
300	0735.321.012	NEEDLE CAGE	1				67,0X75,0X44,0 FA.INA			4	0,220	
310	1308.304.057	HELICAL GEAR	1				1G/Z34			4	3,800	
320	1308.304.077	CLUTCH BODY	1				ENTHALT.IN 1308 304 079(1)			4	0,340	
350	1308.204.026	SYNCHRONIZER	1	65952	01.11.1994	01.11.1994	KPL.1+2G			3	1,704	
/110	1308.304.106	SYNCHRO.BODY	1	5583D	11.05.2004	11.05.2004	ZFB115I 1/2G			4	0,000	
/120	1308.304.096	SYNCHRO.RING	1	0045B	01.03.2000	01.03.2000				4	0,160	
/130	1308.304.096	SYNCHRO.RING	1	0045B	01.03.2000	01.03.2000				4	0,160	
/140	1308.304.091	SLIDING SLEEVE	1				ENTHALT.IN 1308 304 099(0)			4	0,500	
/150	0635.460.010	BALL	3				DIN 5401 6 G20			4	0,000	
/160	0732.041.571	COMPR.SPRING	3							4	0,001	
/170	1307.304.156	PRESSURE PIECE	3				ENTHALT.IN 1307 304 155(1)			4	0,005	
360	---	RETAINING RING	1				WTB 0730 501 404(2)			3	0,000	
	0730.501.413	RETAINING RING	1				A=2,70			4	0,016	
	0730.501.409	RETAINING RING	1				A=2,50			4	0,017	
	0730.501.410	RETAINING RING	1				A=2,55			4	0,016	
	0730.501.418	RETAINING RING	1				A=2,80			4	0,017	
	0730.501.408	RETAINING RING	1				A=2,45			4	0,015	
	0730.501.411	RETAINING RING	1				A=2,60			4	0,016	
	0730.501.412	RETAINING RING	1				A=2,65			4	0,016	
	0730.501.417	RETAINING RING	1				A=2,75			4	0,017	
400	0735.321.494	NEEDLE CAGE	1	5425A	01.01.1999	01.01.1999	60,0X68,0X41,6 FA.INA			4	0,179	
410	1308.304.054	HELICAL GEAR	1				2G/Z30			4	2,700	
420	1308.304.077	CLUTCH BODY	1				ENTHALT.IN 1308 304 079(1)			4	0,340	
480	0730.108.172	WASHER	1				A=4,15			4	0,098	
490	0730.162.428	BUSH	1				A=42,30			4	0,203	
500	0735.321.494	NEEDLE CAGE	1	5425A	01.01.1999	01.01.1999	60,0X68,0X41,6 FA.INA			4	0,179	
510	1308.304.064	HELICAL GEAR	1				3G/Z30			4	1,711	
512	0730.108.172	WASHER	1				A=4,15			4	0,098	
520	1308.304.078	CLUTCH BODY	1				ENTHALT.IN 1308 304 080(1)			4	0,300	
550	1308.204.024	SYNCHRONIZER	1	65693	01.07.1994	01.07.1994	KPL.3+4G			3	1,670	
/110	1308.304.107	SYNCHRO.BODY	1	5594D	11.05.2004	11.05.2004	ERZ. ZFB100I 3./4.G			4	0,000	
/120	1308.304.097	SYNCHRO.RING	1	0046B	01.03.2000	01.03.2000	ENTHALT.IN 1307 304 645(1)			4	0,150	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant




Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
/130	1308.304.097	SYNCHRO.RING	1	0046B	01.03.2000	01.03.2000	ENTHALT.IN 1307 304 645(1)			4	0,150	
/140	1308.304.090	SLIDING SLEEVE	1				ZF-B100II 3.+ 4.GANG			4	0,530	
/150	0635.460.010	BALL	3				DIN 5401 6 G20			4	0,000	
/160	0732.041.571	COMPR.SPRING	3							4	0,001	
/170	1307.304.156	PRESSURE PIECE	3				ENTHALT.IN 1307 304 155(1)			4	0,005	
560	---	RETAINING RING	1				WTB 0730 501 394(2)			3	0,000	
	0730.501.397	RETAINING RING	1				A=2,40			4	0,007	
	0730.501.502	RETAINING RING	1				A=3,10			4	0,009	
	0730.501.501	RETAINING RING	1				A=3,00			4	0,009	
	0730.501.500	RETAINING RING	1				A=2,90			4	0,011	
	0730.501.416	RETAINING RING	1				A=2,80			4	0,008	
	0730.501.415	RETAINING RING	1				A=2,75			4	0,002	
	0730.501.403	RETAINING RING	1				A=2,70			4	0,010	
	0730.501.402	RETAINING RING	1				A=2,65			4	0,010	
	0730.501.401	RETAINING RING	1				A=2,60			4	0,007	
	0730.501.400	RETAINING RING	1				A=2,55			4	0,007	
	0730.501.399	RETAINING RING	1				A=2,50			4	0,007	
	0730.501.398	RETAINING RING	1				A=2,45			4	0,008	
600	---	TA.ROLL.BEARING	1				WTB			3	0,000	
	1307.203.009	TA.ROLL.BEARING	1				KPL. 31,7X66,4X25,4			4	0,000	
	1307.203.010	TA.ROLL.BEARING	1				KPL.			4	0,000	
	1307.203.019	TA.ROLL.BEARING	1				KPL.			4	0,420	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant



Parts list

Page 1 from 1

Material number: 1308.050.159 9 S 75 /
 Plant: 064.05.02
 Material-assembly-group-no: 1308.105.008



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.305.001	REV.IDLER GEAR	1				Z20			4	1,300	
020	0735.358.192	ROLLER CAGE	2				40,0X60,0X26,0 FA.INA			4	0,185	
030	1304.305.030	PIN	1							4	0,866	
040	0630.502.022	RETAINING RING	1				DIN 472 40X1,75			4	0,000	
150	1304.301.318	COVER	1				ENTHALT.IN 1290 301 135(1)			4	0,355	
160	1290.301.140	GASKET	1				ENTHALT.IN 1290 301 071(1)			4	0,009	
170	---	HEXAGON SCREW	6				M10X22 DIN933ALT/8.8 A3C			3	0,000	
	0636.015.445	HEXAGON SCREW	6				DIN 933 ALT M 10 X 22			4	0,000	

VKF Incidence factor


OTK Optional technical kit


ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
 For information only, not subject to the amendment service.

14.04.2005





Parts list
Page 1 from 2

Material number: 1308.050.159 9 S 75 /
Plant: 064.06.10
Material-assembly-group-no: 1308.106.108



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.206.061	GEAR SHIFT RAIL	1				KPL.			3	0,000	
/110	1308.306.072	GEAR SHIFT RAIL	1				1/2G			4	0,690	
/120	1308.306.037	GEAR SHIFT FORK	1				1+2G			4	0,460	
/130	0631.329.069	SLOT.PIN	2				ISO 8752 6 X 30			4	0,000	
/132	0631.329.028	SLOT.PIN	2				ISO 8752 3,5X 30			4	0,000	
/140	1308.306.024	DRIVER	1				WB I			4	0,353	
/150	0631.329.069	SLOT.PIN	1				ISO 8752 6 X 30			4	0,000	
/160	0631.329.028	SLOT.PIN	1				ISO 8752 3,5X 30			4	0,000	
060	1308.206.060	GEAR SHIFT RAIL	1				KPL.			3	0,000	
/110	1308.306.071	GEAR SHIFT RAIL	1				RG			4	0,686	
/120	1308.306.067	GEAR SHIFT FORK	1							4	0,470	
/130	0631.329.069	SLOT.PIN	2				ISO 8752 6 X 30			4	0,000	
/132	0631.329.028	SLOT.PIN	2				ISO 8752 3,5X 30			4	0,000	
110	1308.206.054	GEAR SHIFT RAIL	1				KPL.			3	0,000	
/110	1308.306.070	GEAR SHIFT RAIL	1				3/4G			4	0,690	
/120	1308.306.081	GEAR SHIFT FORK	1				3/4G			4	0,350	
/130	0631.329.069	SLOT.PIN	2				ISO 8752 6 X 30			4	0,000	
/132	0631.329.028	SLOT.PIN	2				ISO 8752 3,5X 30			4	0,000	
/140	1308.306.032	DRIVER	1				3/4 GANG			4	0,140	
/150	0631.329.069	SLOT.PIN	1				ISO 8752 6 X 30			4	0,000	
/160	0631.329.028	SLOT.PIN	1				ISO 8752 3,5X 30			4	0,000	
130	1308.306.068	LOCKING SHEET	1							4	0,087	
140	1308.306.069	LOCKING SHEET	1							4	0,025	
310	1307.306.170	DETENT PIN	3							4	0,000	
320	0732.041.946	COMPR.SPRING	3							4	0,000	
330	---	SCREW PLUG	3				AM12X1,5* 25N.M* DICHTRING			3	0,000	
	0634.801.027	SEALING RING	3				DIN 7603 A 12 X 16			4	0,000	
	0636.305.072	SCREW PLUG	3				DIN 7604 AM 12X1,5			4	0,000	
400	1308.206.072	G.SHIFT SHAFT	1				KPL.			4	0,000	
530	1308.206.041	PIN	1				KPL.			4	0,009	
538	---	SWITCH	1				SCHL*45N.M*DICHTRING			3	0,100	
	0501.210.058	SWITCH	1				KPL.			4	0,060	
	0634.801.062	SEALING RING	1				DIN 7603 A 18 X 24			4	0,000	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005

Parts list

Page 2 from 2

Material number: 1308.050.159 9 S 75 /
 Plant: 064.06.10
 Material-assembly-group-no: 1308.106.108



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
580	1308.206.041	PIN	1				KPL.			4	0,009	
588	---	SWITCH	1				OEFF*45N.M*DICHTRING			3	0,093	
	0501.210.059	SWITCH	1				KPL.			4	0,087	
	0634.801.062	SEALING RING	1				DIN 7603 A 18 X 24			4	0,000	
950	6029.199.088	PLUG KIT	1				4POL BU DINBA AMP GE			4	0,025	
960	6029.199.088	PLUG KIT	1				4POL BU DINBA AMP GE			4	0,025	

VKF Incidence factor


OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
 For information only, not subject to the amendment service.

14.04.2005



Parts list
Page 1 from 2

Material number: 1308.050.159 9 S 75 /
Plant: 064.07.07
Material-assembly-group-no: 1308.107.818



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.307.141	G.SHIFT HOUSING	1				ENTHALT.IN 1308 307 140(0)			4	1,418	
020	1308.307.148	GASKET	1							4	0,002	
040	---	HEXAGON SCREW	1				M8X80			3	0,000	
	0736.010.203	HEXAGON SCREW	1				M8X80			4	0,033	
044	---	HEXAGON SCREW	1				M8X80			3	0,000	
	0736.010.203	HEXAGON SCREW	1				M8X80			4	0,033	
048	---	HEXAGON SCREW	1				M8X80			3	0,000	
	0736.010.203	HEXAGON SCREW	1				M8X80			4	0,033	
050	---	HEXAGON SCREW	2				M8X80			3	0,000	
	0736.010.203	HEXAGON SCREW	2				M8X80			4	0,033	
054	---	HEXAGON SCREW	2				M8X80			3	0,000	
	0736.010.203	HEXAGON SCREW	2				M8X80			4	0,033	
060	0731.201.601	PIN	2				ENTHALT.IN 0731 201 600(3)			4	0,000	
070	0635.460.034	BALL	2				DIN 5401 6,350 G20			4	0,000	
100	0635.303.053	NEEDLE SLEEVE	1				FA. INA HK 2520 2			4	0,000	
110	1308.307.082	G.SHIFT SHAFT	1				ENTHALT.IN 1308 307 070(1)			4	1,200	
120	1238.307.411	PROTECTING CAP	1				ENTHALT.IN 1304 307 093(2)			4	0,040	
170	1308.307.155	G.SHIFT FINGER	1				ENTHALT.IN 1308 307 153(0)			4	0,530	
180	0631.329.085	SLOT.PIN	1				DIN 1481 ALT 8 X 36 AU			4	0,000	
184	0631.329.056	SLOT.PIN	1				DIN 1481 ALT 5 X 36 AU			4	0,000	
190	0501.206.456	G.SHIFT DETENT	1				KPL. IN 0501 207 250(2)			4	0,136	
200	1315.307.018	COVER	1							4	0,140	
210	0634.314.021	O-RING	1				ZFN 744 36,2 X 3			4	0,000	
220	0731.201.562	PIN	1							4	0,021	
230	---	SEALING CAP	1	2936B	01.07.2000	01.07.2000	10 DIN443 ZFB842			3	0,000	
	0630.361.104	SEALING CAP	1				DIN 443 8			4	0,000	
250	1308.307.135	DETENT PART	1							4	0,042	
320	---	SCREW PLUG	1	2934B	01.07.2000	01.07.2000	M16X1,5 * 35N.M*O. DICHTRG.			3	0,000	
	0636.301.041	SCREW PLUG	1				DIN 906 M 16X1,5			4	0,000	
330	---	DETENT PLUNGER	1				88N*50N.M*90GRAD			3	0,000	
	0634.801.332	SEALING RING	1				DIN 7603 A 16 X 22			4	0,000	
	1304.207.041	DETENT PLUNGER	1				KPL. IN 1304 207 015(1)			4	0,000	
350	0634.313.505	O-RING	1				ZFN 744 42 X 3			4	0,000	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005




Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
360	6038.202.043	CUT-OFF VALVE	1	2429C	01.06.2002	01.06.2002	KPL.H-H*ZULUFTDROSSEL 1,55			4	0,425	
364	0501.209.188	BALL ROLLER	2				KPL.			4	0,046	
370	---	HEXAGON SCREW	4				M8X65 ISO4014/8.8 A3C			3	0,000	
	0630.001.075	WASHER	4				DIN 125 ALT 8,4			4	0,000	
	0636.010.575	HEXAGON SCREW	4				ISO 4014 M 8 X 65			4	0,000	
450	---	BREATHER	1				M10X1KEG			3	0,000	
	0501.202.797	BREATHER	1				KPL.			4	0,030	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant



Parts list
Page 1 from 1

Material number: 1308.050.159 9 S 75 /
Plant: 064.08.02
Material-assembly-group-no: 1308.170.009



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1304.307.425	G.SHIFT COVER	1	69034	24.03.1995	24.03.1995	IN 1324 307 049()			4	0,170	
020	0501.318.308	GASKET	1	4991B	01.12.2000	01.12.2000				4	0,008	
030	---	HEXAGON SCREW	4				M8X30 ISO4017/8.8 A3C			3	0,000	
	0636.015.321	HEXAGON SCREW	4				ISO 4017 M 8 X 30			4	0,000	
	0630.302.090	SPRING WASHER	4				DIN 137 ALT B 8 NOR			4	0,000	
100	0634.300.020	SHAFT SEAL	1	69034	24.03.1995	24.03.1995	ZFN 132 25 X 32X 5 BO			4	0,000	
120	0730.260.330	BEARING BUSH	1				A=20,00			4	0,050	
130	0634.300.302	SHAFT SEAL	1				ZFN 132 25 X 35X 7 B			4	0,000	
150	0634.307.367	ROD WIPER	1				FA. CFW AS 25X 35X 7 X			4	0,000	
300	---	COVER	1				WTB			3	0,000	
	1304.307.069	COVER	1							4	0,163	
	1304.307.154	COVER	1							4	0,140	
310	0501.318.308	GASKET	1	4991B	01.12.2000	01.12.2000				4	0,008	
320	---	HEXAGON SCREW	4				M8X30 ISO4017/8.8 A3C			3	0,000	
	0636.015.321	HEXAGON SCREW	4				ISO 4017 M 8 X 30			4	0,000	
	0630.302.090	SPRING WASHER	4				DIN 137 ALT B 8 NOR			4	0,000	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005



There is presently no plate available for this parts list/ assembly.

Parts list

Page 1 from 1

Material number: 1308.050.159 9 S 75 /
 Plant: 064.12.09
 Material-assembly-group-no: 1308.149.034



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
020	0732.042.366	COMPR.SPRING	1							4	0,003	
030	0732.042.365	COMPR.SPRING	1							4	0,005	
110	0730.104.083	WASHER	1				A=2,00			4	0,012	
140	0732.040.237	COMPR.SPRING	1							4	0,000	
220	0730.104.083	WASHER	1				A=2,00			4	0,012	
230	0630.532.138	V-RING	1				FA. ORBIS JV 24			4	0,000	

VKF Incidence factor


OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
 For information only, not subject to the amendment service.

14.04.2005



Parts list
Page 1 from 2

Material number: 1308.050.159 9 S 75 /
Plant: 064.43.03
Material-assembly-group-no: 1308.131.014



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.301.212	HOUSING	1	4897C	01.10.2002	01.10.2002				4	6,436	
020	1308.301.026	GASKET	1							4	0,006	
024	---	HEXAGON SCREW	2				M8X60			3	0,000	
	0736.010.187	HEXAGON SCREW	2				M8X60			4	0,027	
030	---	HEXAGON SCREW	7				M8X60			3	0,000	
	0736.010.187	HEXAGON SCREW	7				M8X60			4	0,027	
034	---	HEXAGON SCREW	2				M8X60			3	0,000	
	0736.010.187	HEXAGON SCREW	2				M8X60			4	0,027	
040	---	HEXAGON SCREW	2				M8X60			3	0,000	
	0736.010.187	HEXAGON SCREW	2				M8X60			4	0,027	
044	---	HEXAGON SCREW	1				M8X60			3	0,000	
	0736.010.187	HEXAGON SCREW	1				M8X60			4	0,027	
048	---	HEXAGON SCREW	1				M8X60			3	0,000	
	0736.010.187	HEXAGON SCREW	1				M8X60			4	0,027	
050	---	HEXAGON SCREW	1				M8X45			3	0,000	
	0736.010.185	HEXAGON SCREW	1				M8X45			4	0,022	
054	---	HEXAGON SCREW	1				M8X60			3	0,000	
	0736.010.187	HEXAGON SCREW	1				M8X60			4	0,027	
060	0731.201.620	CYLINDRICAL PIN	2	74269	01.10.1996	01.10.1996				4	0,057	
100	0735.330.597	BALL BEARING	1	73291	01.07.1996	01.07.1996	65,0X120,0X23,0 FA.SKF			4	0,998	
110	---	SHIM	1				WTB 0730 006 163(2)			3	0,000	
	0730.002.659	SHIM	1				A=1,30			4	0,000	
	0730.002.660	SHIM	1				A=1,20			4	0,000	
	0730.002.658	SHIM	1				A=1,40			4	0,000	
	0730.002.655	SHIM	1				A=1,70			4	0,000	
	0730.002.657	SHIM	1				A=1,50			4	0,000	
	0730.002.661	SHIM	1				A=1,10			4	0,000	
	0730.002.654	SHIM	1				A=1,80			4	0,000	
	0730.002.656	SHIM	1				A=1,60			4	0,000	
210	1308.201.002	PIPE	1				KPL.			4	0,100	
220	---	HEXAGON SCREW	3				M6X16 ISO4017/8.8 A3C			3	0,000	
	0636.015.296	HEXAGON SCREW	3				ISO 4017 M 6 X 16			4	0,000	
300	1304.301.034	COVER	1				ENTHALT.IN 1238 308 199(1)			4	0,258	
310	1238.308.201	GASKET	1				ENTHALT.IN 1238 308 202(2)			4	0,003	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005

Material number: 1308.050.159 9 S 75 /
Plant: 064.43.03
Material-assembly-group-no: 1308.131.014




Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
320	---	HEXAGON SCREW	4				M12X28 DIN933ALT/8.8 A3C			3	0,037	
	0636.016.181	HEXAGON SCREW	4				DIN 933 ALT M 12 X 28			4	0,000	


VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant





Parts list
Page 1 from 1

Material number: 1308.050.159 9 S 75 /
Plant: 064.44.01
Material-assembly-group-no: 1308.132.003



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.232.011	PLANET CARRIER	1				KPL. IN 1308 232 005(1)			4	7,800	
050	1308.232.007	PLANET GEAR SET	1				KPL.			4	1,400	
060	0730.103.102	INTERM.WASHER	15				A=1,50 IN 0730 105 951(2)			4	0,000	
080	0730.150.767	WASHER	10	57966	01.04.1992	01.04.1992	A=1,50			4	0,012	
090	0735.470.155	NEEDLE ROLLER	200				5,0X11,8 FA.INA			4	0,002	
110	1308.332.004	PLANET SHAFT	5							4	0,230	
120	0631.329.049	SLOT.PIN	5				ISO 8752 5 X 22			4	0,000	
124	0631.329.175	SLOT.PIN	5				ISO 8752 3 X 22			4	0,000	
150	1308.332.034	RING GEAR CARR.	1				ENTHALT.IN 1308 332 029(1)			4	2	
160	0635.338.090	BALL BEARING	1				DIN 625 61813 C3/Y 65			4	0,000	
170	---	SNAP RING	1	78538	01.09.1997	01.09.1997	WTB 0730 513 572(3)			3	0,000	
	0730.513.742	SNAP RING	1				A=1,80			4	0,009	
	0730.513.574	SNAP RING	1				A=2,20			4	0,011	
	0730.513.743	SNAP RING	1				A=1,90			4	0,010	
	0730.513.744	SNAP RING	1				A=2,00			4	0,010	
	0730.513.573	SNAP RING	1				A=2,10			4	0,012	
180	1308.332.026	RING GEAR	1				Z75			4	1,900	
190	0730.505.149	LOCKING WIRE	1				A=2,00 IN 0730 505 052(2)			4	0,015	
500	1308.338.025	OUTPUT FLANGE	1							4	3,820	
550	1240.304.117	WASHER	1				ENTHALT.IN 1240 304 427(2)			4	0,325	
560	---	HEXAGON SCREW	2				M12X50 DIN933ALT/8.8 A3C			3	0,000	
	0636.016.180	HEXAGON SCREW	2				DIN 933 ALT M 12 X 50			4	0,000	

VKF Incidence factor


OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005



Parts list

Page 1 from 1

Material number: 1308.050.159 9 S 75 /
 Plant: 064.45.01
 Material-assembly-group-no: 1308.133.002



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
110	1308.233.003	CLUTCH BODY	1	2333A	01.06.1998	01.06.1998	KPL. IN 1308 233 002(1)			4	2,900	
200	1308.332.036	SYNCHRO.BODY	1	53403	01.06.1991	01.06.1991	ZF-BK131			4	1,200	
210	1268.304.594	SYNCHRO.RING	2	77274	01.05.1997	01.05.1997	ZFBK 131			4	0,260	
220	1308.332.015	SLIDING SLEEVE	1				ENTHALT.IN 1308 332 037(1)			4	1	
230	1297.304.437	PRESSURE PIECE	3	57605	01.03.1992	01.03.1992	IN 1268 304 509(2)			4	0,004	
250	0732.040.409	COMPR.SPRING	3							4	0,000	
280	---	RETAINING RING	1				WTB			3	0,000	
	0730.501.505	RETAINING RING	1				A=3,20			4	0,043	
	0730.501.504	RETAINING RING	1				A=3,10			4	0,042	
	0630.531.138	RETAINING RING	1				FA. ORBIS 92X3 A92			4	0,000	
	0730.501.574	RETAINING RING	1				A=2,90			4	0,039	
300	1308.232.010	CLUTCH BODY	1				KPL.			4	1,950	

VKF Incidence factor


OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
 For information only, not subject to the amendment service.

14.04.2005



Parts list
Page 1 from 1

Material number: 1308.050.159 9 S 75 /
Plant: 064.46.03
Material-assembly-group-no: 1308.134.008



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.334.014	GEAR SHIFT RAIL	1							4	0,697	
020	0501.316.333	FLANGE PACKING	1				22X36X14,5 .			4	0,027	
030	0734.309.377	PISTON	1							4	0,096	
070	---	LOCKING NUT	1				M16X1,5 ZFN99			3	0,000	
	0737.006.095	LOCKING NUT	1				MS16X1,5			4	0,023	
080	1308.334.011	CYLINDER	1							4	0,420	
090	0634.313.216	O-RING	1				ZFN 744 82 X 2,5			4	0,000	
100	---	HEXAGON SCREW	4				M8X30 ISO4017/8.8 A3C			3	0,000	
	0630.302.090	SPRING WASHER	4				DIN 137 ALT B 8 NOR			4	0,000	
	0636.015.321	HEXAGON SCREW	4				ISO 4017 M 8 X 30			4	0,000	
150	---	DETENT PLUNGER	1				105N*50N.M*90GRAD			3	0,000	
	0634.801.332	SEALING RING	1				DIN 7603 A 16 X 22			4	0,000	
	1313.207.004	DETENT PLUNGER	1	55005	01.09.1991	01.09.1991	KPL. IN 1313 207 001(2)			4	0,000	
200	1308.334.001	GEAR SHIFT FORK	1							4	1,100	
210	---	ARTICULAT.BOLT	2				M20X1,5			3	0,000	
	1304.332.041	ARTICULAT.BOLT	2				M20X1,5			4	0,133	
	0630.302.064	SPRING WASHER	2				DIN 137 ALT B 20 NOR			4	0,000	
230	1297.306.120	SLIDING PAD	2				ENTHALT.IN 1240 306 248(3)			4	0,000	
310	---	SCREW PLUG	1				M18X1,5 * 35N.M* DICHRING			3	0,000	
	0636.302.021	SCREW PLUG	1				DIN 908 M 18X1,5			4	0,000	
	0634.801.062	SEALING RING	1				DIN 7603 A 18 X 24			4	0,000	

VKF Incidence factor


OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005



Parts list
Page 1 from 1

Material number: 1308.050.159 9 S 75 /
Plant: 064.47.01
Material-assembly-group-no: 1308.135.007



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	1308.301.120	COVER	1	71206	01.11.1995	01.11.1995				4	0,680	
020	0634.313.424	O-RING	1				ZFN 744 134 X 3			4	0,000	
050	---	HEXAGON SCREW	3				M10X35 DIN933ALT/8.8 A3C			3	0,000	
	0630.302.091	SPRING WASHER	3				DIN 137 ALT B 10 NOR			4	0,000	
	0636.015.227	HEXAGON SCREW	3				DIN 933 ALT M 10 X 35			4	0,000	
060	0750.111.334	SHAFT SEAL	1				WTB 80X100X10			4	0,049	
110	---	SCREW PLUG	1				M30X1,5 *100N.M* DICHTRING			3	0,000	
	0634.801.324	SEALING RING	1				DIN 7603 A 30 X 36			4	0,000	
	0636.302.066	SCREW PLUG	1				DIN 908 M 30X1,5			4	0,000	
140	0730.162.694	BUSH	1				A=25,00			4	0,255	
170	---	SCREW PLUG	1				M18X1,5 * 35N.M* DICHTRING			3	0,000	
	0634.801.062	SEALING RING	1				DIN 7603 A 18 X 24			4	0,000	
	0636.302.021	SCREW PLUG	1				DIN 908 M 18X1,5			4	0,000	

VKF Incidence factor


OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005



Parts list
Page 1 from 1

Material number: 1308.050.159 9 S 75 /
Plant: 064.57.02
Material-assembly-group-no: 1308.145.002



Pos.	Material number	Name	VKF	Amend. no.	Amend. start	Prod. no.	Material feature / tech. info.	OTK	External material no.	ID	Weight	SP
010	6007.202.191	PIPE	1	59784	01.01.1993	01.01.1993	KPL.425,00MM			3	0,065	
/010	6038.310.009	RING PIECE	1							4	0,029	
/020	0637.834.322	RING PIECE	1	1048D	01.10.2003	01.10.2003	FA. SIHN 12- 6 RSN 28-0			4	0,000	
/030	0632.707.004	PIPE	1				DIN 73378 9 X 1,5			4	0,000	
020	---	UNION SCREW	1	3946B	01.12.2000	01.12.2000	10 DIN7643			3	0,000	
	0637.835.515	UNION SCREW	1				DIN 7643 10			4	0,000	
	0730.008.057	SEALING RING	2				A=1,50			4	0,002	
030	---	UNION SCREW	1	3943B	01.12.2000	01.12.2000	8 DIN7643			3	0,000	
	0730.008.056	SEALING RING	2				A12X17			4	0,002	
	0637.835.026	UNION SCREW	1				DIN 7643 8			4	0,000	
050	6007.202.192	PIPE	1	59784	01.01.1993	01.01.1993	KPL.440,00MM			3	0,063	
/010	6038.310.009	RING PIECE	1							4	0,029	
/020	0637.834.322	RING PIECE	1	1426A	01.10.1998	01.10.1998	FA. SIHN 12- 6 RSN 28-0			4	0,000	
/030	0632.707.004	PIPE	1				DIN 73378 9 X 1,5			4	0,000	
060	---	UNION SCREW	1	3946B	01.12.2000	01.12.2000	10 DIN7643			3	0,000	
	0730.008.057	SEALING RING	2				A=1,50			4	0,002	
	0637.835.515	UNION SCREW	1				DIN 7643 10			4	0,000	
070	---	UNION SCREW	1	3943B	01.12.2000	01.12.2000	8 DIN7643			3	0,000	
	0730.008.056	SEALING RING	2				A12X17			4	0,002	
	0637.835.026	UNION SCREW	1				DIN 7643 8			4	0,000	
140	0659.160.068	CABLE CLIP	2				FA. HELLERMANN T30L-W			4	0,000	

VKF Incidence factor

OTK Optional technical kit

ID Identification (output code)

SP Supplier plant

© All rights reserved by ZF Friedrichshafen AG, even in the event of applications for copyright. We hold all rights of disposal, such as the right to copy and disseminate.
For information only, not subject to the amendment service.

14.04.2005